

• Natural History	Page 1
• Diagnosis	Page 2
• Cognition	Page 3
• Treatment and management	Page 4
• Imaging	Page 5
• Cardiovascular autonomic features and testing	Page 7
• Urogenital features and testing	Page 8
• Other clinical features	Page 9
• Sleep	Page 11
• MSA-C	Page 12
• Pathology and Alpha-synuclein	Page 12
• Reviews and history	Page 13
• Genetics	Page 15

## Useful References on the Diagnosis and Management of Multiple System Atrophy

### Introduction

The following list is not exhaustive but is a starting point for understanding more about Multiple System Atrophy (MSA).

### Natural History

Wenning GK, Geser F, Krismer F, et al & European Multiple System Atrophy Study Group. The natural history of multiple system atrophy: a prospective European cohort study  
*Lancet Neurol* 2013; 12: 264-274. <http://www.ncbi.nlm.nih.gov/pubmed/23391524> Free PMC article

Low PA, Reich SG, Jankovic J, et al. Natural history of multiple system atrophy in the USA: a prospective cohort study. *Lancet Neurol* 2015; 14: 710-719.  
<http://www.ncbi.nlm.nih.gov/pubmed/26025783> Free PMC article

Figueroa JJ, Singer W, Parsaik A, et al. Multiple system atrophy: prognostic indicators of survival. *Mov Disord* 2014; 29: 1151-7. <http://www.ncbi.nlm.nih.gov/pubmed/24909319> Free PMC article

Coon EA, Sletten DM, Suarez MD, et al. Clinical features and autonomic testing predict survival in multiple system atrophy. *Brain* 2015; 138: 3623-31. <http://www.ncbi.nlm.nih.gov/pubmed/26369944> Free PMC article

Calandra-Buonaura G, Guaraldi P, et al. Multiple system atrophy with prolonged survival: is late

## MSA Useful references

onset of dysautonomia the clue? *Neurol Sci* 2013; 34: 1875-8.

<http://www.ncbi.nlm.nih.gov/pubmed/23728718>

Petrovic IN, Ling H, Asi Y, et al. Multiple system atrophy-parkinsonism with slow progression and prolonged survival: a diagnostic catch *Mov Disord* 2012; 27: 1186-90.

<http://www.ncbi.nlm.nih.gov/pubmed/22806758>

Wenning GK, Ben Shlomo Y, Magalhaes M, et al. Clinical features and natural history of multiple system atrophy. An analysis of 100 cases. *Brain* 1994; 117: 835-45.

<http://www.ncbi.nlm.nih.gov/pubmed/7922469>

Schrag A, Wenning GK, Quinn N, et al. Survival in multiple system atrophy. *Mov Disord* 2008; 23: 294-296. <http://www.ncbi.nlm.nih.gov/pubmed/18044727>

Foubert-Samier A, Traon AP, Guillet F et al. Disease progression and prognostic factors in multiple system atrophy: A prospective cohort study. *Neurobiol Dis* 2020; 139: 104813  
<https://www.ncbi.nlm.nih.gov/pubmed/32087288> Free article

Kaufmann H, Norcliffe-Kaufmann L, Palma JA, et al. Autonomic Disorders Consortium. Natural history of pure autonomic failure: A United States prospective cohort. *Ann Neurol* 2017; 81: 287-297. <https://www.ncbi.nlm.nih.gov/pubmed/28093795> Free PMC article

## Diagnosis

Koga S, Aoki N, Uitti RJ, et al. When DLB, PD, and PSP masquerade as MSA: an autopsy study of 134 patients. *Neurology* 2015; 85: 404-12. <http://www.ncbi.nlm.nih.gov/pubmed/26138942> Free PMC article

Miki Y, Foti SC, Asi YT, et al Improving diagnostic accuracy of multiple system atrophy: a clinicopathological study. *Brain* 2019; 14: 2813-2827.

<https://www.ncbi.nlm.nih.gov/pubmed/31289815>

Klockgether T. The art of making a clinical diagnosis of multiple system atrophy. *Brain*. 2019; 14: 2555-2557. <https://www.ncbi.nlm.nih.gov/pubmed/31497860>

Joutsa J, Gardberg M, Röyttä M, et al. Diagnostic accuracy of parkinsonism syndromes by general neurologists. *Parkinsonism Relat Disord* 2014; 20: 840-4.

<http://www.ncbi.nlm.nih.gov/pubmed/24816002>

Kim HJ, Stamelou M, Jeon B. Multiple system atrophy-mimicking conditions: Diagnostic challenges. *Parkinsonism Relat Disord*. 2016; 22 Suppl 1: S12-5.

<http://www.ncbi.nlm.nih.gov/pubmed/26365777>

Kollensperger M, et al. Presentations, diagnosis and management of MSA in Europe: Final analysis of the European multiple system atrophy registry. *Mov Disord* 2010; 25: 2604-12.

<http://www.ncbi.nlm.nih.gov/pubmed/20922810>

## MSA Useful references

Schrag A, et al. Cross sectional prevalence survey of idiopathic Parkinson's disease and parkinsonism in London. Br Med J 2000; 321: 21-22.

<http://www.ncbi.nlm.nih.gov/pubmed/10875828> Free PMC article

Stankovic I, Quinn N, Vignatelli L, et al. Movement Disorder Society Multiple System Atrophy Study Group. A critique of the second consensus criteria for multiple system atrophy. Mov Disord 2019; 34: 975-984. <https://www.ncbi.nlm.nih.gov/pubmed/31034671> Free PMC article

Palma JA, Norcliffe-Kaufmann L, Kaufmann H. Diagnosis of multiple system atrophy. Auton Neurosci 2018; 211: 15-25 Review. <https://www.ncbi.nlm.nih.gov/pubmed/29111419> Free PMC article

Batla A, De Pablo-Fernandez E, Erro R, et al. Young-onset multiple system atrophy: Clinical and pathological features. Mov Disord 2018; 33: 1099-1107.

<https://www.ncbi.nlm.nih.gov/pubmed/30153390>

Kim HJ, Jeon BS. Multiple system atrophy with prolonged survival. Mov Disord 2012; 27: 1834. <https://www.ncbi.nlm.nih.gov/pubmed/23225574>

Fianciulli A, Goebel G, Lazzeri G, et al. Early distinction of Parkinson - variant of multiple system atrophy from Parkinson's disease. Mov Disord 2019; 34: 440-441.

<https://pubmed.ncbi.nlm.nih.gov/30788854/>

Wenning GK, Stankovic I, Vignatelli L, et al. The Movement Disorder Society Criteria for the Diagnosis of Multiple System Atrophy. Mov Disord. 2022 Jun;37(6):1131-1148. doi: 10.1002/mds.29005. Epub 2022 Apr 21. <https://pubmed.ncbi.nlm.nih.gov/35445419/>

## Cognition

Stankovic I, Krismer F, Jesic A, et al and Movement Disorders Society MSA (MODIMSA) Study Group. Cognitive impairment in multiple system atrophy: a position statement by the Neuropsychology Task Force of the MDS Multiple System Atrophy (MODIMSA) study group. Lancet Neurol 2013; 12: 264-74. <http://www.ncbi.nlm.nih.gov/pubmed/24753321> Free PMC article

Brown RG, Lacomblez L, Landwehrmeyer BG, et al for the NNIPPS Study Group. Cognitive impairment in patients with multiple system atrophy and progressive supranuclear palsy. Brain 2010; 133: 2382-93. <http://www.ncbi.nlm.nih.gov/pubmed/20576697> Free article

Siri C, Duerr S, Canesi M, et al. A cross-sectional multicenter study of cognitive and behavioural features in multiple system atrophy patients of the parkinsonian and cerebellar type. J Neural Transm (Vienna) 2013; 120: 613-8. <https://www.ncbi.nlm.nih.gov/pubmed/23462799>

Dujardin K, Defebvre L, Krystkowiak P, et al. Executive function differences in multiple system atrophy and Parkinson's disease. Parkinsonism Relat Disord 2003; 9: 205-11.

<https://www.ncbi.nlm.nih.gov/pubmed/12618055>

Kawamura K, et al. Factors influencing the cognitive function in patients with multiple system atrophy. Mov Disord 2010; 25: 2891-2. <https://www.ncbi.nlm.nih.gov/pubmed/20925069>

## MSA Useful references

Chang CC, et al. Cognitive deficits in multiple system atrophy correlate with frontal atrophy and disease duration. Eur J Neurol 2009; 16: 1144-50.

<https://www.ncbi.nlm.nih.gov/pubmed/19486137>

Balas M, Balash Y, Giladi N, et al. Cognition in multiple system atrophy: neuropsychological profile and interaction with mood. J Neural Transm (Vienna) 2010; 117: 369-75.

<https://www.ncbi.nlm.nih.gov/pubmed/20091064>

### **Treatment and management**

Eschlöck S, Wenning G, Fanciulli A. Evidence-based treatment of neurogenic orthostatic hypotension and related symptoms. J Neural Transm (Vienna). 2017 Dec;124(12):1567-1605. Epub 2017 Oct 22. Erratum in: J Neural Transm (Vienna). 2017 Nov 28;; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5686257/>

Coon EA, Ahlskog JE. My Treatment Approach to Multiple System Atrophy. Mayo Clin Proc. 2021 Mar;96(3):708-719. doi: 10.1016/j.mayocp.2020.10.005.  
<https://pubmed.ncbi.nlm.nih.gov/33673922/>

Kaufmann H, Freeman R, Biaggioni I, et al and NOH301 Investigators. Droxidopa for neurogenic orthostatic hypotension: a randomized, placebo-controlled, phase 3 trial. Neurology 2014; 83: 328-35. <http://www.ncbi.nlm.nih.gov/pubmed/24944260> Free PMC article

Poewe W, Mahlknecht P, Krismer F. Therapeutic advances in multiple system atrophy and progressive supranuclear palsy. Mov Disord 2015; 30: 1528-38 Review.  
<http://www.ncbi.nlm.nih.gov/pubmed/26227071>

Bensimon G, Ludolph A, Agid Y, et al & NNIPPS Study Group. Riluzole treatment, survival and diagnostic criteria in Parkinson plus disorders: the NNIPPS study. Brain 2009; 132: 156-71. <http://www.ncbi.nlm.nih.gov/pubmed/19029129> Free PMC article

Quinn N, Barker RA, Wenning GK. Are trials of intravascular infusions of autologous mesenchymal stem cells in patients with multiple atrophy currently justified and are they effective? Clin Pharm Ther 2008; 83: 663-5. <http://www.ncbi.nlm.nih.gov/pubmed/18425088>

Lee PH, Lee JE, Kim HS, et al. A randomized trial of mesenchymal stem cells in multiple system atrophy. Ann Neurol 2012; 72: 32-40. <http://www.ncbi.nlm.nih.gov/pubmed/22829267>

Krismer F, Poewe W, Seppi K. Comment: Autologous mesenchymal stem cells: Hope for patients with multiple system atrophy? Neurology 2019; 93: 25.  
<https://www.ncbi.nlm.nih.gov/pubmed/31152012>

Hussain IF, Brady CM, Swinn MJ, et al. Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension. J Neurol Neurosurg Psychiatry 2001; 71: 371-4.  
<http://www.ncbi.nlm.nih.gov/pubmed/11511713> Free PMC article

## MSA Useful references

Young TM, Mathias CJ. The effects of water ingestion on orthostatic hypotension in two groups of chronic autonomic failure: multiple system atrophy and pure autonomic failure. J Neurol Neurosurg Psychiatry 2004; 75: 1737-41. <http://www.ncbi.nlm.nih.gov/pubmed/15548493>  
Free PMC article

Meissner W, Laurencin C, Tranchant C, et al. Outcome of deep brain stimulation in slowly progressive multiple system atrophy: A clinico-pathological series and review of the literature. Park Relat Disord 2016; 24: 69-75.  
<http://www.ncbi.nlm.nih.gov/pubmed/26778473>

Mathias CJ. Autonomic Diseases: Clinical features and laboratory evaluation J Neurol Neurosurg Psychiatry 2003: 74(Suppl 3); iii31-iii41. <http://www.ncbi.nlm.nih.gov/pubmed/12933912>  
Free PMC article

Mathias CJ. Autonomic Diseases: Management J Neurol Neurosurg Psychiatry 2003: 74(Suppl 3); iii42-iii47. <http://www.ncbi.nlm.nih.gov/pubmed/12933913> Free PMC article

Rohrer G, Höglinder GU, Levin J. Symptomatic therapy of multiple system atrophy. Autonomic Neuroscience: Basic and Clinical 2018; 211: 26-30.

[https://www.autonomicneuroscience.com/article/S1566-0702\(17\)30163-7/pdf](https://www.autonomicneuroscience.com/article/S1566-0702(17)30163-7/pdf)

Chelban V, Houlden H. Updates on potential therapeutic targets in MSA. ACNR 2016; 15: 8-11.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5870010/>

Singer W, Dietz AB, Zeller AD et al. Intrathecal administration of autologous mesenchymal stem cells in multiple system atrophy. Neurology 2019; 93: 77-87.  
<https://www.ncbi.nlm.nih.gov/pubmed/31152011> Free PMC article

## Investigations

### Imaging

Umemura A, Oeda T, Hayashi R, et al. Diagnostic accuracy of apparent diffusion coefficient and 123I-metiodobenzylguanidine for differentiation of multiple system atrophy and Parkinson's disease. PLoS One. 2013; 8: e61066. <http://www.ncbi.nlm.nih.gov/pubmed/23613784> Free PMC article

Schrag A, Good CD, Miszkiel K, et al. Differentiation of atypical parkinsonian syndromes with routine MRI. Neurology 2000; 54: 697-702.  
<http://www.ncbi.nlm.nih.gov/pubmed/10680806>

Kraft E, Trenkwalder C, Auer DP. T2\*-weighted MRI differentiates multiple system atrophy from Parkinson's disease. Neurology 2002; 59: 1265-7.  
<http://www.ncbi.nlm.nih.gov/pubmed/12391363>

Brooks DJ, Seppi K and Neuroimaging working group on MSA. Proposed neuroimaging criteria for the diagnosis of multiple system atrophy. Mov Disord 2009; 24: 949-64.  
<http://www.ncbi.nlm.nih.gov/pubmed/19306362>

## MSA Useful references

Pirker W, Asenbaum S, Bencsits G, et al. [<sup>123</sup>]beta-CIT SPECT in multiple system atrophy, progressive supranuclear palsy, and corticobasal degeneration. Mov Disord 2000; 15: 1158-1167. <http://www.ncbi.nlm.nih.gov/pubmed/11104200>

Teune LK, Bartels AL, de Jong BM, et al. Typical cerebral metabolic patterns in neurodegenerative brain diseases. Mov Disord 2010; 25: 2395-404. <http://www.ncbi.nlm.nih.gov/pubmed/20669302>

Treglia G, Stefanelli A, Cason E, et al. Diagnostic performance of iodine-123-metaiodobenzylguanidine scintigraphy in differential diagnosis between Parkinson's disease and multiple-system atrophy: A systematic review and a meta-analysis. Clin Neurol Neurosurg 2011; 113: 823-9. <http://www.ncbi.nlm.nih.gov/pubmed/21962800>

Chelban V, Bocchetta M, Hassanein S, et al. An update on advances in magnetic resonance imaging of multiple system atrophy. J Neurol 2019; 266: 1036-1045.

<https://www.ncbi.nlm.nih.gov/pubmed/30460448>

Free PMC article

Alonso-Canovas A, Tembl Ferrairo JI, Martinez-Torres I, et al. Transcranial sonography in atypical parkinsonism: How reliable is it in real clinical practice? A multicentre comprehensive study. Parkinsonism Relat Disord 2019; 68: 40-45 <https://www.ncbi.nlm.nih.gov/pubmed/31621617>

Paviour DC, Price SL, Jahanshahi M, et al. Longitudinal MRI in progressive supranuclear palsy and multiple system atrophy: rates and regions of atrophy. Brain 2016; 129: 1040-9.

<https://www.ncbi.nlm.nih.gov/pubmed/16455792>

Brenneis C, et al. Progression of brain atrophy in multiple system atrophy. A longitudinal VBM study. J Neurol 2007; 254: 191-6. <https://www.ncbi.nlm.nih.gov/pubmed/17334661>

Minnerop M, et al. Voxel-based morphometry and voxel-based relaxometry in multiple system atrophy-a comparison between clinical subtypes and correlations with clinical parameters. Neuroimage 2007; 36: 1086-95. <https://www.ncbi.nlm.nih.gov/pubmed/17512219>

Nicoletti G, Fera F, Condino F, et al. MR Imaging of Middle Cerebellar Peduncle Width: Differentiation of Multiple System Atrophy from Parkinson Disease. Radiology 2006; 239: 825-830. <https://www.ncbi.nlm.nih.gov/pubmed/16714464>

Way C, Pettersson D, Hiller A. The 'Hot Cross Bun' Sign Is Not Always Multiple System Atrophy: Etiologies of 11 Cases. Journal of Movement Disorders 2019; 12: 27-30. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6369380/>

Brajkovic L, Kostic V, Sobic-Saranovic D, et al. The utility of FDG-PET in the differential diagnosis of Parkinsonism. Neurological Research, 2017; 39: 675-684. <https://www.ncbi.nlm.nih.gov/pubmed/28378615>

Tripathi M, Dhawan V, Peng S, et al. Differential diagnosis of parkinsonian syndromes using F-18 fluorodeoxyglucose positron emission tomography. Neuroradiology 2013; 55: 483-492. <https://www.ncbi.nlm.nih.gov/pubmed/23314836>

## MSA Useful references

Takaya S, Sawamoto N, Okada T, et al. Differential diagnosis of parkinsonian syndromes using dopamine transporter and perfusion SPECT. *Parkinsonism & Related Disorders* 2018; 47: 15-21.  
<https://www.ncbi.nlm.nih.gov/pubmed/29157745>

### Cardiovascular autonomic features and testing

Baschieri F, Calandra-Buonaura G, Doria A, et al. Cardiovascular autonomic testing performed with a new integrated instrumental approach is useful in differentiating MSA-P from PD at an early stage. *Parkinsonism Relat Disord.* 2015; 21: 477-82.  
<http://www.ncbi.nlm.nih.gov/pubmed/25749354>

Pavy-Le Traon A, Piedvache A, Perez-Lloret S, et al and European MSA Study Group. New insights into orthostatic hypotension in multiple system atrophy: a European multicentre cohort study. *J Neurol Neurosurg Psychiatry* 2016; 87: 554-561.  
<http://www.ncbi.nlm.nih.gov/pubmed/25977316>

Riley DE, Chelimsky TC. Autonomic nervous system testing may not distinguish multiple system atrophy from Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2003; 74: 56-60.  
<http://www.ncbi.nlm.nih.gov/pubmed/12486267> Free PMC article

Reimann M, Schmidt C, Herting B, et al. Comprehensive autonomic assessment does not differentiate between Parkinson's disease, multiple system atrophy and progressive supranuclear palsy. *J Neural Transm* 2010; 117: 69-76. <http://www.ncbi.nlm.nih.gov/pubmed/19763772>

Giannini G, Calandra-Buonaura G, Ascoli GM, et al. The natural history of idiopathic autonomic failure: The IAF-BO cohort study. *Neurology* 2018; 91: 1245-1254.  
<https://www.ncbi.nlm.nih.gov/pubmed/30135257>

Iodice V, Lipp A, Ahlskog JE, et al. Autopsy confirmed multiple system atrophy cases: Mayo experience and role of autonomic function tests. *J Neurol Neurosurg Psychiatry* 2012; 83: 453-9.  
<https://www.ncbi.nlm.nih.gov/pubmed/22228725> Free PMC Article

Coon EA, Mandrekar JN, Berini SE, et al.  
Predicting phenoconversion in pure autonomic failure.  
Neurology. 2020; 18: 95PMID: 32546656. <https://pubmed.ncbi.nlm.nih.gov/32546656/>

Fanciulli A, Leys F, Falup-Pecurariu, et al. Management of orthostatic hypotension in Parkinson's disease. *J Parkinson's Dis* 2020; 10: no.s1, pp S57-S64.  
<https://pubmed.ncbi.nlm.nih.gov/32716319> Free PMC article

Vichayanrat E, Valerio F, Koay S et al. Diagnosing Premotor Multiple System Atrophy: Natural History and Autonomic Testing in an Autopsy-Confirmed Cohort. *Neurology*. 2022 Sep 13;99(11):e1168-e1177. doi: 10.1212/WNL.0000000000200861. Epub 2022 Jul 5.  
<https://pubmed.ncbi.nlm.nih.gov/35790426/>

Pavy-Le Traon A, Foubert-Samier A, Ory-Magne F, et al. Ambulatory blood pressure and drug treatment for orthostatic hypotension as predictors of mortality in patients with multiple system atrophy. *Eur J Neurol.* 2022 Apr;29(4):1025-1034. doi: 10.1111/ene.15232. Epub 2022 Jan 27.  
<https://pubmed.ncbi.nlm.nih.gov/34971021/>

## **Urogenital features and testing**

Kirchhof K, Apostolidis AN, Mathias CJ, et al. Erectile and urinary dysfunction may be the presenting features in patients with multiple system atrophy: a retrospective study. *Int J Impot Res* 2003; 15: 293-8. <http://www.ncbi.nlm.nih.gov/pubmed/12934060>

Sakakibara R, Uchiyama T, Yamanishi T, et al. Sphincter EMG as a diagnostic tool in autonomic disorders. *Clin Auton Res* 2009; 19: 20-31 Review. <http://www.ncbi.nlm.nih.gov/pubmed/18780143>

Beck R, Betts C, Fowler C. Genitourinary dysfunction in multiple system atrophy: clinical features and treatment in 62 cases. *J Urol* 1994; 151: 1336-41.

<http://www.ncbi.nlm.nih.gov/pubmed/8158782>

Fanciulli A, Goebel G, Lazzeri G, et al. Urinary retention discriminates multiple system atrophy from Parkinson's disease. *Mov Disord* 2019; 34: 1926-1927.

<https://pubmed.ncbi.nlm.nih.gov/31710392/>

Fanciulli A, Leys F, Falup-Pecurariu C, et al. Cardiovascular autonomic function testing in multiple system atrophy and Parkinson's disease: an expert-based blinded evaluation. *Clin Auton Res* 2020; 30: 255-263. PMC Full Text <https://pubmed.ncbi.nlm.nih.gov/32415621/> Free PMC Article

Giannini G, Calandra-Buonaura G, Ascoli GM, et al. The natural history of idiopathic autonomic failure: the IAF-BO cohort study. *Neurology* 2018; 91: e1245-e1254.

<https://pubmed.ncbi.nlm.nih.gov/30135257/>

Paviour DC, Williams D, Fowler CJ, et al. Is sphincter electromyography a helpful investigation in the diagnosis of multiple system atrophy? A retrospective study with pathological diagnosis. *Mov Disord* 2005; 20: 1425-30.

<http://www.ncbi.nlm.nih.gov/pubmed/16007638>

Oertel WH, Wachter T, Quinn NP, et al. Reduced genital sensitivity in female patients with multiple system atrophy of parkinsonian type. *Mov Disord* 2002; 18: 430-432.

<http://www.ncbi.nlm.nih.gov/pubmed/12671951>

Uchiyama T, Sakakibara R, Asahina M, et al. Post-micturitional hypotension in patients with multiple system atrophy. *J Neurol Neurosurg Psychiatry* 2005; 76: 186-190.

<http://www.ncbi.nlm.nih.gov/pubmed/15654029> Free PMC article

Panicker JN, Simeoni S, Miki Y, et al. Early presentation of urinary retention in multiple system atrophy: can the disease begin in the sacral spinal cord? *J Neurol* 2020; 267: 659-664 PMID: 31720822 <https://www.ncbi.nlm.nih.gov/pubmed/31720822> Free PMC article

Fanciulli A, Goebel G, Lazzeri G, et al. Urinary retention discriminates multiple system atrophy from Parkinson's disease. *Mov Disord* 2019; 34: 1926-1928.

<https://www.ncbi.nlm.nih.gov/pubmed/31710392>

Sakakibara R, Panicker J, Simeoni S, et al. Bladder dysfunction as the initial presentation of multiple system atrophy: a prospective cohort study. *Clin Auton Res* 2019; 29: 627-631.

<https://www.ncbi.nlm.nih.gov/pubmed/30043182>

## MSA Useful references

Yamamoto T, et al. The Utility of Post-Void Residual Volume versus Sphincter Electromyography to Distinguish between Multiple System Atrophy and Parkinson's Disease. PLoS One 2017; 12, e0169405. <https://www.ncbi.nlm.nih.gov/pubmed/28060892> Free PMC article

Todisco M, Cosentino G, Scardina S. Diagnostic and Prognostic Value of External Anal Sphincter EMG Patterns in Multiple System Atrophy. Mov Disord. 2022 May;37(5):1069-1074. doi: 10.1002/mds.28938. Epub 2022 Feb 4. <https://pubmed.ncbi.nlm.nih.gov/35122320/>

### **Other clinical features**

Anderson T, Luxon L, Quinn N, et al Oculomotor function in multiple system atrophy: clinical and laboratory features in 30 patients. Mov Disord 2008; 23: 977-84.

<http://www.ncbi.nlm.nih.gov/pubmed/18383533>

Salazar G, Valls-Solé J, Martí MJ, et al. Postural and action myoclonus in patients with parkinsonian type multiple system atrophy. Mov Disord 2000; 15: 77-83.

<http://www.ncbi.nlm.nih.gov/pubmed/10634245>

Klein C, Brown R, Wenning G, et al. The “cold hands sign” in multiple system atrophy. Mov Disord 1997; 4: 514-8. <http://www.ncbi.nlm.nih.gov/pubmed/9251069>

Santens P, Crevits L, Van der Linden C. Raynaud's phenomenon in a case of multiple system atrophy. Mov Disord 1996; 5: 586-8. <http://www.ncbi.nlm.nih.gov/pubmed/8866508>

Boesch SM, Wenning GK, Ransmayr G, et al. Dystonia in multiple system atrophy. J Neurol Neurosurg Psychiatry 2002; 72: 300-303. <http://www.ncbi.nlm.nih.gov/pubmed/11861684> Free PMC article

Wenning GK, Geser F, Poewe W. The “risus sardonicus” of multiple system atrophy. Mov Disord 2003; 10: 1211. <http://www.ncbi.nlm.nih.gov/pubmed/14534935>

Quinn N. Disproportionate antecollis in multiple system atrophy. Lancet 1989; 1: 844. <http://www.ncbi.nlm.nih.gov/pubmed/2564927>

Colosimo C. Pisa syndrome in a patient with multiple system atrophy. Mov Disord 1998; 3: 607-9. <http://www.ncbi.nlm.nih.gov/pubmed/9613765>

Kollensperger M, Geser F, Seppi K, et al. Red flags for multiple system atrophy. Mov Disord 2008; 23: 1093-9 <http://www.ncbi.nlm.nih.gov/pubmed/18442131>

Gurevich T, Giladi N. Freezing of gait in multiple system atrophy (MSA). Parkinsonism Relat Disord 2003; 9: 169-174. <http://www.ncbi.nlm.nih.gov/pubmed/12573873>

Kluin KJ, Gilman S, Lohnman, et al. Characteristics of the Dysarthria of Multiple System Atrophy. Arch Neurol 1996; 53: 545-458. <http://www.ncbi.nlm.nih.gov/pubmed/8660157>

Hughes T. Neurology of swallowing and oral feeding disorders: assessment and management. J Neurol Neurosurg Psychiatry 2003; 74 (Suppl III): iii48-iii52.

<http://www.ncbi.nlm.nih.gov/pubmed/12933914> Free PMC article

## MSA Useful references

Calandra-Buonaura G, Alfonsi E, Vignatelli L, et al.

Dysphagia in multiple system atrophy consensus statement on diagnosis, prognosis and treatment.

Parkinsonism Relat Disord 2021; Mar 30 S1353-8020 Online ahead of print.

PMID: 33839029 Review. <https://pubmed.ncbi.nlm.nih.gov/33839029/> Free article

Cortelli P, Calandra-Buonaura G, Benarroch EE, et al. Stridor in multiple system atrophy: Consensus statement on diagnosis, prognosis, and treatment. Neurology 2019; 93: 630-639  
PMID: 31570638 <https://www.ncbi.nlm.nih.gov/pubmed/31570638> Free PMC article

Fanciulli A, Goebel G, Lazzeri G, et al. Early distinction of Parkinson-variant multiple system atrophy from Parkinson's disease. Mov Disord 2019; 34: 440-441. PMID: 30788854  
<https://www.ncbi.nlm.nih.gov/pubmed/30788854>

Bhidayasiri R, Sringer J, Reich SG, et al. Red flags phenotyping: A systematic review on clinical features in atypical parkinsonian disorders. Parkinsonism Relat Disord 2019; 59: 82-92 PMID: 30409560 <https://www.ncbi.nlm.nih.gov/pubmed/30409560>

Silber MH, Levine S. Stridor and death in multiple system atrophy. Mov Disord 2000; 15: 699-704.  
<https://www.ncbi.nlm.nih.gov/pubmed/10928581>

Colosimo C. Nonmotor presentations of multiple system atrophy. Nat Rev Neurol 2011; 7: 295-8.  
<https://www.ncbi.nlm.nih.gov/pubmed/21343894>

Coon EA, et al. Anhidrosis in multiple system atrophy involves pre- and postganglionic sudomotor dysfunction. Mov Disord 2017; 32: 397-404. <https://www.ncbi.nlm.nih.gov/pubmed/27859565> Free PMC article

Parvizi J, et al. Diagnosis and management of pathological laughter and crying. Mayo Clin Proc 2006; 81: 1482-6. <https://www.ncbi.nlm.nih.gov/pubmed/17120404>

Parvizi J, Joseph J, Press DZ, et al. Pathological laughter and crying in patients with multiple system atrophy-cerebellar type. Mov Disord 2007; 22: 798-803.  
<https://www.ncbi.nlm.nih.gov/pubmed/17290465>

Benrud-Larson LM, Sandroni P, Schrag A, et al. Depressive symptoms and life satisfaction in patients with multiple system atrophy. Mov Disord 2005; 20: 951-7.  
<https://www.ncbi.nlm.nih.gov/pubmed/15782421>

Schrag A, et al. Health-related quality of life in multiple system atrophy. Mov Disord 2006; 21: 809-15. <https://www.ncbi.nlm.nih.gov/pubmed/16502399>

## MSA Useful references

Schrag A, et al. A comparison of depression, anxiety, and health status in patients with progressive supranuclear palsy and multiple system atrophy. *Mov Disord* 2010; 25: 1077-81.  
<https://www.ncbi.nlm.nih.gov/pubmed/20535826>

Nishida K, Sakashita K, Yamasaki H, Futamura N. Impact of tracheostomy invasive ventilation on survival in Japanese patients with multiple system atrophy. *Parkinsonism Relat Disord.* 2022 Apr;97:107-111. doi: 10.1016/j.parkreldis.2022.01.008. Epub 2022 Jan 14.  
<https://pubmed.ncbi.nlm.nih.gov/35063370/>

Giannini G, Provini F, Cani I, Cecere A, Mignani F, Guaraldi P, Di Mirto CVF, Cortelli P, Calandra-Buonaura G. Tracheostomy is associated with increased survival in Multiple System Atrophy patients with stridor. *Eur J Neurol.* 2022 Aug;29(8):2232-2240. doi: 10.1111/ene.15347. Epub 2022 Apr 15. <https://pubmed.ncbi.nlm.nih.gov/35384153/>

## Sleep

Cormican LJ, Higgins S, Davidson AC, et al. Multiple system atrophy presenting as central sleep apnoea. *Eur Resp J* 2004; 24: 323-325. <http://www.ncbi.nlm.nih.gov/pubmed/15332405> Free article

Ghorayeb I, Yekhlef V, Chrysostome, V, et al. Sleep disorders and their determinants in multiple system atrophy. *J Neurol Neurosurg Psychiatry* 2002; 72: 798-800.  
<http://www.ncbi.nlm.nih.gov/pubmed/12023429> Free PMC article

Iranzo A, et al. Long-term effect of CPAP in the treatment of nocturnal stridor in multiple system atrophy. *Neurology* 2004; 63: 930-932. <http://www.ncbi.nlm.nih.gov/pubmed/15365155>

Plazzi G, Corsini R, Provini F, et al. REM sleep behavior disorders in multiple system atrophy. *Neurology* 1997; 48: 1094-7. <http://www.ncbi.nlm.nih.gov/pubmed/9109907>

Palma JA, et al. Prevalence of REM sleep behavior disorder in multiple system atrophy: a multicenter study and meta-analysis. *Clin Auton Res* 2015; 25: 69-75.  
<https://www.ncbi.nlm.nih.gov/pubmed/25739474> Free PMC article

Ohshima Y, et al. Natural course and potential prognostic factors for sleep-disordered breathing in multiple system atrophy. *Sleep Med* 2017; 34: 13-17.  
<https://www.ncbi.nlm.nih.gov/pubmed/28522081>

Giannini G, Mastrangelo V, Provini F, Droghini A, Cecere A, Barletta G, Mignani F, Guaraldi P, Cortelli P, Calandra-Buonaura G. Progression and prognosis in multiple system atrophy presenting with REM behavior disorder. *Neurology.* 2020 Apr 28;94(17):e1828-e1834. doi: 10.1212/WNL.0000000000009372. Epub 2020 Mar 31. <https://pubmed.ncbi.nlm.nih.gov/32234825/>

## **MSA-C**

Teive HA, Arruda WO, Moro A, et al. Differential diagnosis of sporadic adult-onset ataxia: The role of REM sleep behavior disorder. *Parkinsonism Relat Disord* 2015; 21: 640-3.

<http://www.ncbi.nlm.nih.gov/pubmed/25899546>

Lin DJ, Hermann KL, Schmahmann JD. Multiple system atrophy of the cerebellar type: Clinical state of the art. *Mov Disord* 2014; 29: 294-304.

<http://www.ncbi.nlm.nih.gov/pubmed/24615754>

Klockgether T. Sporadic ataxia with adult onset: classification and diagnostic criteria. *Lancet Neurol* 2010; 9: 94-104. <http://www.ncbi.nlm.nih.gov/pubmed/20083040>

Watanabe H, Saito Y, Terao S, et al. Progression and prognosis in multiple system atrophy. An analysis of 230 Japanese patients. *Brain* 2002; 125: 1070-1083.

<http://www.ncbi.nlm.nih.gov/pubmed/11960896>

Wernick AI, Walton RL, Soto-Beasley, et al. Frequency of spinocerebellar ataxia mutations in patients with multiple system atrophy. *Clin Auton Res.* 2021; 31:117-125. PMID: 33502644

<https://pubmed.ncbi.nlm.nih.gov/33502644/>

Sullivan R, Yau WY, Chelban V, et al.

RFC1-related ataxia is a mimic of early multiple system atrophy.

*J Neurol Neurosurg Psychiatry.* 2021; 92: 444-6. PMID: 33563805 Free PMC article.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7958109/>

## **Pathology & Alpha-synuclein**

Papp M, Kahn JE, Lantos PL. Glial cytoplasmic inclusions in the CNS of patients with multiple system atrophy (striatonigral degeneration, olivopontocerebellar atrophy and Shy Drager syndrome). *J Neurol Sci* 1989; 94: 79-100. <http://www.ncbi.nlm.nih.gov/pubmed/2559165>

Burn DJ, Jaros E. Multiple system atrophy: cellular and molecular pathology. *J Clin Path* 2001; 54: 419-426. <http://www.ncbi.nlm.nih.gov/pubmed/11724918> Free PMC article

Peelaerts W, Bousset L, Van der Perren A, et al. α-Synuclein strains cause distinct synucleinopathies after local and systemic administration. *Nature* 2015; 522: 340-4.

<http://www.ncbi.nlm.nih.gov/pubmed/26061766> Free article

Woerman AL, Watts JC, Aoyagi A, et al. α-Synuclein: Multiple System Atrophy Prions. *Cold Spring Harb Perspect Med* 2018 Jul 2; 8(7). <https://www.ncbi.nlm.nih.gov/pubmed/28213437>  
Free PMC article

Prusiner SB, Woerman AL, Mordes DA, et al. Evidence for α-synuclein prions causing multiple system atrophy in humans with parkinsonism. *Proc Natl Acad Sci USA* 2015; 112(38): E5308-17.  
<http://www.ncbi.nlm.nih.gov/pubmed/26324905> Free PMC article

## MSA Useful references

Wakabayashi K, Yoshimoto M, Tsuji S, et al. Alpha-synuclein immunoreactivity in glial cytoplasmic inclusions in multiple system atrophy. *Neurosci Lett* 1998; 249: 180-2.

<http://www.ncbi.nlm.nih.gov/pubmed/9682846>

Kiely AP, Asi YT, Kara E, et al. Alpha-synucleinopathy associated with G51D SNCA mutation: A link between Parkinson's disease and multiple system atrophy? *Acta Neuropathol* 2013; 125: 753-69. <http://www.ncbi.nlm.nih.gov/pubmed/23404372> Free PMC article

Wenning G, Jellinger KA. The role of alpha-synuclein in the pathogenesis of multiple system atrophy. *Acta Neuropathol* 2005; 109: 129-40. <http://www.ncbi.nlm.nih.gov/pubmed/15666181>

Shahnawaz M, Mukherjee A, Pritzkow S et al Discriminating α-synuclein strains in Parkinson's disease and multiple system atrophy. *Nature* 2020; 578: 273-277.  
<https://www.ncbi.nlm.nih.gov/pubmed/32025029> Free PMC article

Heras-Garvin A, Weckbecker D, Ryazanov S, et al. Anle138b modulates α-synuclein oligomerization and prevents motor decline and neurodegeneration in a mouse model of multiple system atrophy. 2019; 34: 255-263. <https://www.ncbi.nlm.nih.gov/pubmed/30452793>  
Free PMC article

Stefanova N, et al. Microglial activation mediates neurodegeneration related to oligodendroglial alpha-synucleinopathy: implications for multiple system atrophy. *Mov Disord* 2007; 22: 2196-203.  
<https://www.ncbi.nlm.nih.gov/pubmed/17853477>

Singer W, Schmeichel AM, Shahnawaz M, et al. Alpha-Synuclein Oligomers and Neurofilament Light Chain in Spinal Fluid Differentiate Multiple System Atrophy from Lewy Body Synucleinopathies. *Ann Neurol* 2020; 88: 503-512 <https://pubmed.ncbi.nlm.nih.gov/32557811/>  
Free PMC article

Rossi M, Candelise N, Baiardi S, et al. Ultrasensitive RT- QuIC assay with high sensitivity and specificity for Lewy body-associated synucleinopathies. *Acta Neuropathol*. 2020; 140: 49-62. PMID: 32342188  
<https://pubmed.ncbi.nlm.nih.gov/32342188/> Free PMC article

Ling H, Asi YT, Petrovic IN, Ahmed Z, Prashanth LK, Hazrati LN, Nishizawa M, Ozawa T, Lang A, Lees AJ, Revesz T, Holton JL. Minimal change multiple system atrophy: an aggressive variant? *Mov Disord*. 2015 Jun;30(7):960-7. doi: 10.1002/mds.26220. Epub 2015 Apr 8.  
<https://pubmed.ncbi.nlm.nih.gov/25854893/>

## Reviews and History

Goh YY, Saunders E, Pavay S, Rushton E, Quinn N, Houlden H, Chelban V. Multiple system atrophy. *Pract Neurol*. 2023 Mar 16:practneurol-2020-002797. doi: 10.1136/practneurol-2020-002797. Epub ahead of print. <https://pubmed.ncbi.nlm.nih.gov/36927875/>

## MSA Useful references

Poewe, W., Stankovic, I., Halliday, G. et al. Multiple system atrophy. Nat Rev Dis Primers 8, 56 (2022). <https://doi.org/10.1038/s41572-022-00382-6> <https://pubmed.ncbi.nlm.nih.gov/36008429/>

Fanciulli A, Wenning GK. Multiple system atrophy. N Engl J Med 2015; 372: 249-63 Review. <http://www.ncbi.nlm.nih.gov/pubmed/25587949>

Quinn N. A short clinical history of multiple system atrophy. Clin Aut Res 2015; 25: 3-7. <http://www.ncbi.nlm.nih.gov/pubmed/25578151>

Quinn N. Multiple system atrophy--the nature of the beast. J Neurol Neurosurg Psychiatry 1989; 52 (suppl): 78-89. <http://www.ncbi.nlm.nih.gov/pubmed/2666581> Free PMC article

Stefanova N, Bucke P, Duerr S, et al. Multiple system atrophy: an update. Lancet Neurol 2009; 8: 1172-8. <http://www.ncbi.nlm.nih.gov/pubmed/19909915>

Fanciulli A, Stankovic I, Krismer F, et al. Multiple system atrophy. Int Rev Neurobiol 2019; 149: 137-192. <https://www.ncbi.nlm.nih.gov/pubmed/31779811>

Meissner WG, Fernagut PO, Dehay B, et al. Multiple System Atrophy: Recent Developments and Future Perspectives. Mov Disord. 2019; 34: 1629-1642 Review. <https://www.ncbi.nlm.nih.gov/pubmed/31692132>

Watanabe H, Riku Y, Hara K, et al. Clinical and imaging features of multiple system atrophy: Challenges for an early and clinically definitive diagnosis. J Mov Disord 2018; 11: 107-120 <https://www.ncbi.nlm.nih.gov/pubmed/30086614> Free PMC article

Jellinger KA, Wenning GK. Multiple system atrophy: pathogenic mechanisms and biomarkers. J Neural Transm (Vienna) 2016; 123: 555-72. <https://www.ncbi.nlm.nih.gov/pubmed/27098666>  
Walsh RR, Krismer F, Galpern WR, et al. Recommendations of the Global Multiple System Atrophy Research Roadmap Meeting. Neurology. 2018; 90: 74-82 Review. <https://www.ncbi.nlm.nih.gov/pubmed/29237794> Free PMC article

Ben-Shlomo Y, Wenning GK, Tison F, et al. Survival of patients with pathologically proven multiple system atrophy: a meta-analysis. Neurology 1997; 48: 384-93. <https://www.ncbi.nlm.nih.gov/pubmed/9040727>

Krismer F, Wenning GK. Multiple system atrophy: insights into a rare and debilitating movement disorder. Nat Rev Neurol 2017; 13: 232-243. <https://www.ncbi.nlm.nih.gov/pubmed/28303913>

Jecmenica-Lukic M, Poewe W, Tolosa, E, et al. Premotor signs and symptoms of multiple system atrophy. Lancet Neurol 2012; 11: 361-8. <https://www.ncbi.nlm.nih.gov/pubmed/22441197>

Pellecchia MT, Stankovic I, Fanciulli A, et al. Can Autonomic Testing and Imaging Contribute to the Early Diagnosis of Multiple System Atrophy? A Systematic Review and Recommendations by the Movement Disorder Society Multiple System Atrophy Study Group. Mov Disord Clin Pract. 2020; 7: 750-762 PMID: 33043073. Review. <https://pubmed.ncbi.nlm.nih.gov/33043073/>

## MSA Useful references

Stankovic I, Fanciulli A, Kostic VS, et al.

Laboratory-Supported Multiple System Atrophy beyond Autonomic Function Testing and Imaging: A Systematic Review by the MoDiMSA Study Group.

Mov Disord Clin Pract. 2021; 10: 322-340 PMID: 33816659. Review.

<https://pubmed.ncbi.nlm.nih.gov/33816659/>

Bhidayasiri R, Sringean J, Reich SG, et al. Red flags phenotyping: A systematic review on clinical features in atypical parkinsonian disorders.

Park Rel Disord 2019; 59: 82-92. <https://pubmed.ncbi.nlm.nih.gov/30409560/>

## **Genetics**

Sailer A, Scholz SW, Nalls MA, et al and the EMSA & UK MSA Study Groups. A genome-wide association study in Multiple System Atrophy (MSA). 2016; 87: 1591-1598.

<http://www.emsa-sq.org/index.php?id=128>

Sturm E, Stefanova N. Multiple System Atrophy: Genetic or Epigenetic?. Experimental Neurobiology 2014; 23: 277. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4276800/>

Kim HJ, Jeon BS, Shin J, et al. Should genetic testing for SCAs be included in the diagnostic workup for MSA? Neurology 2014; 83: 1733–1738.

<https://www.ncbi.nlm.nih.gov/pubmed/25298309>

Hara K, Momose Y, Tokiguchi S, et al. Multiplex Families With Multiple System Atrophy. Arch Neurol 2007; 64: 545–551. <https://www.ncbi.nlm.nih.gov/pubmed/17420317>

Scholz SW, Houlden H, Schulte C, et al. SNCA variants are associated with increased risk for multiple system atrophy. Ann Neurol 2019; 5: 610-4.

<https://europepmc.org/article/pmc/pmc4727743>

## **The Trust's contact details**

We have MSA Health Care Specialists that support people affected by MSA in the UK and Ireland. If you would like to find the MSA Health Care Specialist for your area, contact us on the details below or use the interactive map here –

<https://www.msatrust.org.uk/support-for-you/hcps/>.

MSA Trust, 51 St Olav's Court, Lower Road, London SE16 2XB

T: 0333 323 4591

|

E: [support@msatrust.org.uk](mailto:support@msatrust.org.uk)

W: [www.msatrust.org.uk](http://www.msatrust.org.uk)

Version: 6.0 Revision Date: 03/23 Review Date: 03/24